

BLENDER BROCHURE

OEM&ODM

OUR CUSTOM CONTENT

- LOGO
- COLOR
- PACKAGING
- APPEARANCE
- POWER SUPPLY
- INSTRUCTION MANUAL

SINOPED (LIAONING) OPTRONIC TECHNOLOGY CO., LTD.

🌐 | <https://appliancesmfr.com/>

✉ | sales@appliancesmfr.com

☎ | +86-13032484027

📍 | Room 401, Block D11, SISP., Hunnan District,
Shenyang City, Liaoning Province, China.

SINNEEN

PRODUCTS

BLENDER PARAMETERS

BLENDER

STRONG POWER SAFE AND SECURE

Convenient and fast, customized for the family





FBH-H1402

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1485 PCS



FBH-H1405

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1296 PCS



FBH-H1402

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1446 PCS



FBH-H1409

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1296 PCS



FBH-H1404

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1391 PCS



FBH-H1407

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1296 PCS



FBH-H1408

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1296 PCS



FBH-H1401

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 1614 PCS



FBH-H1406

Capacity 1.4L

► DETAILS

- *Stirring power: 500W; Heating power: 600W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty

40'HQ: 2198 PCS



FBH-H1201

Capacity 1.2L

► DETAILS

- *Stirring power: 800W; Heating power: 800W
- *Motor: AC9520 26000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protecto
- *. 9520 pure copper motor with PTC protector
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set,three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1916 PCS



FBH-H1202

Capacity 1.2L

► DETAILS

- *Stirring power: 800W; Heating power: 800W
- *Motor: AC9520 26000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protecto
- *Thickened transparent soundproof cover, more silent when working
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set,three-layer three-dimensional stainless steel eight-leaf knife
- *Square prism food grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1916 PCS



FBH-H1752

Capacity 1.75L

► DETAILS

- *Stirring power: 800W; Heating power: 800W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *7625 pure copper motor with PTC protector
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Six-rib food-grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1804 PCS



FBH-H1754

Capacity 1.75L

► DETAILS

- *Stirring power: 1000W; Heating power: 800W
- *Motor: AC9520 26000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *7625 pure copper motor with PTC protector
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Six-rib food-grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1804 PCS



FBH-H1753

Capacity 1.75L

► DETAILS

- *Stirring power: 1000W; Heating power: 800W
- *Motor: AC9520 26000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *7625 pure copper motor with PTC protector
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Six-rib food-grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1804 PCS



FBH-H1751

Capacity 1.75L

► DETAILS

- *Stirring power: 600W; Heating power: 800W
- *Motor: AC7625 22000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *7625 pure copper motor with PTC protector
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Six-rib food-grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1804 PCS



FBH-H1751B

Capacity 1.75L

► DETAILS

- *Stirring power: 600W; Heating power: 800W
- *Motor: AC9525 28000r/min
- *High-speed series excitation strong pure copper motor with overheating temperature protector
- *7625 pure copper motor with PTC protector
- *A number of smart program menus, one-click self-made food
- *Stainless steel 304# knife set, three-layer three-dimensional stainless steel eight-leaf knife
- *Six-rib food-grade thick borosilicate glass
- *ABS shell, non-slip, anti-leakage, original plastic base

► Loading Qty:

40'HQ: 1804 PCS

SINNEEN

PRODUCTS

COMMERCIAL BLENDER PARAMETERS

COMMERCIAL BLENDER



POWERFUL MOTORS

CYCLONE CUTTERHEADS



FBH-963

Capacity	1.2L/1.6L/2.0L
-----------------	-----------------------

► DETAILS

- *Rated power: 1100W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Rotate the button, one-click homemade food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Food grade thick borosilicate glass
- *Rubber soft cover, wear-resistant bearing, safety switch

► Loading Qty

40'HQ: 1380 PCS



FBH-988

Capacity 2.5L/4.5L

► DETAILS

- *Rated power: 1680W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Rotate the button, one-click homemade food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Food grade thick borosilicate glass
- *Rubber soft cover, wear-resistant bearing, safety switch

► Loading Qty

40'HQ: 1380 PCS



FBH-1020

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Rotate the button, one-click homemade food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Food grade thick borosilicate glass
- *Rubber soft cover, wear-resistant bearing, safety switch

► Loading Qty

- 40'HQ: 1550 PCS (with soundproof cover)
- 40'HQ: 1380 PCS (without soundproof cover)



FBH-1070

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Rotate the button, one-click homemade food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Food grade thick borosilicate glass
- *Rubber soft cover, wear-resistant bearing, safety switch

► Loading Qty

40'HQ: 1220 PCS



FBH-1070C

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Multiple smart program menus, one-click self-made food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Thickened PC cooking cup
- *All metal gears, bottom ventilation, anti-leakage, safety socket

► Loading Qty

40'HQ: 1220 PCS



FBH-1071

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Multiple smart program menus, one-click self-made food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Thickened PC cooking cup
- *All metal gears, bottom ventilation, anti-leakage, safety socket

► Loading Qty

40'HQ: 1550 PCS



FBH-1080

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Rotate the button, one-click homemade food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Food grade thick borosilicate glass
- *Rubber soft cover, wear-resistant bearing, safety switch

► Loading Qty

40'HQ: 1380 PCS



FBH-1080C

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Multiple smart program menus, one-click self-made food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Thickened PC cooking cup
- *All metal gears, bottom ventilation, anti-leakage, safety socket

► Loading Qty

40'HQ: 1550 PCS



FBH-1080C

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1500W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Multiple smart program menus, one-click self-made food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Thickened PC cooking cup
- *All metal gears, bottom ventilation, anti-leakage, safety socket

► Loading Qty

40'HQ: 1550 PCS



FBH-3380C

Capacity 1.6L/1.8L

► DETAILS

- *Rated power: 1680W
- *High-speed series excitation strong pure copper motor
- *With overheating temperature protector
- *Thickened transparent soundproof cover, more silent when working
- *Multiple smart program menus, one-click self-made food
- *Six-leaf imported stainless steel knife / 360° three-layer crushing
- *Thickened PC cooking cup
- *All metal gears, bottom ventilation, anti-leakage, safety socket

► Loading Qty

40'HQ: 1030 PCS

SINREEN

PRODUCTS

BLENDER PARAMETERS

BLENDER

ONE MACHINE WITH MULTIPLE FUNCTIONS

Convenient and fast, customized for the family





FBH-C2001

Capacity 2.0L

► DETAILS

- *Stirring power: 600W-800W
- *Motor: 7630 rotor copper-clad aluminum wire, stator aluminum wire
- *12P ordinary temperature control
- *The nut at the bottom of the cup fixes the knife, the ordinary six-leaf knife set
- *280g PC large cup with stick/PS plastic cup with stick
- *Stepless speed regulation 600W
- *Power cord: pipe plug copper-clad aluminum wire 2X0.75 square
- * Power cord. Exposed 0.75 meters"

► Loading Qty:

40'HQ: 3300 PCS



FBM-C2002

Capacity 2.0L

► DETAILS

- *Stirring power: 600W-800W
- *Motor: 7630 rotor copper-clad aluminum wire, stator aluminum wire
- *12P ordinary temperature control
- *The nut at the bottom of the cup fixes the knife, the ordinary six-leaf knife set
- *280g PC large cup with stick/PS plastic cup with stick
- *Stepless speed regulation 600W
- *Power cord: pipe plug copper-clad aluminum wire 2X0.75 square
- * Power cord. Exposed 0.75 meters"

► Loading Qty:

40'HQ: 3300 PCS



FBM-C2003

Capacity 2.0L

► DETAILS

- *Stirring power: 600W-800W
- *Motor: 7630 rotor copper-clad aluminum wire, stator aluminum wire
- *12P ordinary temperature control
- *The nut at the bottom of the cup fixes the knife, the ordinary six-leaf knife set
- *280g PC large cup with stick/PS plastic cup with stick
- *Stepless speed regulation 600W
- *Power cord: pipe plug copper-clad aluminum wire 2X0.75 square
- * Power cord. Exposed 0.75 meters"

► Loading Qty:

40'HQ: 3300 PCS



FBH-C2004

Capacity 2.0L

► DETAILS

- *Stirring power: 600W-800W
- *Motor: 7630 rotor copper-clad aluminum wire, stator aluminum wire
- *12P ordinary temperature control
- *The nut at the bottom of the cup fixes the knife, the ordinary six-leaf knife set
- *280g PC large cup with stick/PS plastic cup with stick
- *Stepless speed regulation 600W
- *Power cord: pipe plug copper-clad aluminum wire 2X0.75 square
- * Power cord. Exposed 0.75 meters"

► Loading Qty:

40'HQ: 3300 PCS



FBM-C1804T

Capacity 1.8L

► DETAILS

Stirring power: 250W

Motor: 7020 copper clad aluminum motor

Power cord: 0.5 square copper-clad aluminum two-round plug 1.1 meters,

Configuration: grinding cup, big cup PS, small cup PS

► Loading Qty:

40'HQ: 3000 PCS



FBM-SG1801

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-round plug 1.2 meters
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1802

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-round plug 1.2 meters
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1801

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-round plug 1.2 meters,
Configuration: stainless steel large cup, glass small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1802

Capacity 1.8L

▶ DETAILS

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-round plug 1.2 meters,
Configuration: stainless steel large cup, glass small cup

▶ Loading Qty:

40'HQ: 3000 PCS



FBM-SG1802T

Capacity 1.8L

▶ DETAILS

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup, small glass cup

▶ Loading Qty:

40'HQ: 3000 PCS



FBM-SS1802T

Capacity 1.8L

▶ DETAILS

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup, small glass cup

▶ Loading Qty:

40'HQ: 3000 PCS



FBM-SS1802S

Capacity 1.8L

▶ DETAILS

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup, small glass cup

▶ Loading Qty:

40'HQ: 3000 PCS



FBM-SG1811

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1811

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters
Configuration: stainless steel large cup, glass small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1812

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1812

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters
Configuration: stainless steel large cup, glass small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1813

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: stainless steel large cup, glass small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1812DL

Capacity 1.8L

► **DETAILS**

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1812DL

Capacity 1.8L

► **DETAILS**

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1813D

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2meters,
Configuration: large stainless steel cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1813DL

Capacity 1.8L

DETAILS

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup

Loading Qty:

40'HQ: 3000 PCS



FBM-SG1813TL

Capacity 1.8L

DETAILS

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup, small glass cup

Loading Qty:

40'HQ: 3000 PCS



FBM-SS1812TL

Capacity 1.8L

DETAILS

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, stainless steel grinding cup, small glass cup

Loading Qty:

40'HQ: 3000 PCS



FBM-SS1801TL

Capacity 1.8L

DETAILS

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, stainless steel grinding cup, small glass cup

Loading Qty:

40'HQ: 3000 PCS



FBM-SS1812S

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: stainless steel large cup, stainless steel medium cup, stainless steel small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1812SL

Capacity 1.8L

► **DETAILS**

Stirring power: 300W (with lights)
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: stainless steel large cup, stainless steel medium cup, stainless steel small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1821

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1821

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1822

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1822

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1822D

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1822D

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1822T

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1822T

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: arge stainless steel cup, stainless steel grinding cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1822S

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration:stainless steel large cup, stainless steel medium cup, stainless steel small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1831

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1831

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1831D

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1831D

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large stainless steel cup, stainless steel grinding cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SG1831T

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: large glass cup, stainless steel grinding cup, small glass cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-SS1831S

Capacity 1.8L

► **DETAILS**

Stirring power: 300W
Motor: 7025 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.2 meters,
Configuration: stainless steel large cup, stainless steel medium cup, stainless steel small cup

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-C1802

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7015 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.1 meters,
Configuration: PP shell, big cup PS, small cup PS

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-C1806

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7020 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.1meters,
Configuration: big cup PS, small cup PS

► **Loading Qty:**

40'HQ: 3000 PCS



FBM-C1803

Capacity 1.8L

► **DETAILS**

Stirring power: 250W
Motor: 7018 copper clad aluminum motor
Power cord: 0.5 square copper-clad aluminum two-roundplug 1.1 meters,
Configuration: big cup PS, small cup PS

► **Loading Qty:**

40'HQ: 3000 PCS

SINREEN

THANKS

BLENDER
BROCHURE

BLENDER

STRONG POWER SAFE AND SECURE

Convenient and fast, customized for the family

